



CORDLESS ASSEMBLY TOOL







Features:

- igoplus Lightweight for one-hand operation
- ⊕ Compact design for narrow space operation
- Automatic stop after assembly for battery power saving
- ⊕ LED for work area illumination
- → Made in Germany

For LOKRING connectors:

Article no.	Article name	
1.170077731	LOKDDESS M	

L14004401	LOTAL INLUG INITIAL DEL O LO
L14004432	LOKPRESS Mini Set-C-US

Technical data

Dimensions incl. rechargeable batter	y (H x W x L): approx. 111 x 71 x 393 mm
Operating temperature:	- 10 °C up to 40 °C (14 °F up to 104 °F)
Battery charger:	100 - 240 V 50 - 60 Hz 35 W
Rechargeable battery:	10.8 V / 2.5 Ah Li-Ion
Recharge time:	40 min.
Number of pressings:	Minimum 100
Weight incl. rechargeable battery:	approx. 2.2 kg (4.85 lb)

Scope of supply

Description	Article name	Article no.
Li-Ion battery	LOKPRESS Mini LB	L14004393
Battery charger EU	LOKPRESS Mini BC-EU	L14004394
Battery charger US	LOKPRESS Mini BC-US	L14004395
Plastic case	LOKPRESS Mini PC2	L14004437

NOTE: The LOKPRESS Mini comes without assembly jaws. Please select those from the tables below.

LONGER ASSEMBLY JAWS FOR LOKRING® CONNECTORS TYPE 00



Θ	Approx. 30 mm longer than
	LOKTOOL MB 8

- ⊕ Easier assemblies in cramped spaces
- → Suitable for LOKPRESS Mini*
- Suitable for double-sided assembly of LOKRING connectors type 00

Article no.	Article name	For tube outer-ø [mm "]
L20001398	LOKTOOL MB 8 L	1.6 - 8.5 1/16 - 5/16

*Not suitable for the hand assembly tools LOKTOOL HMRK-V and HMRK-L.

ASSEMBLY JAWS FOR LOKRING® CONNECTORS TYPE 00



- Suitable for LOKPRESS Mini, HMRK-V and HMRK-L assembly tools
- Suitable for double-sided assembly of LOKRING connectors type 00

Article no.	Article name	For tube outer-ø [mm "]
L20000200	LOKTOOL MB 8	1.6 - 8.5 1/16 - 5/16
L20000201	LOKTOOL MB 10	9 - 11 3/8

ASSEMBLY JAWS FOR LOKRING® CONNECTORS TYPE 50



- Suitable for LOKPRESS Mini, MZ and MZ-V assembly tools
- Suitable for single-sided assembly of LOKRING connectors type 50

Article no.	Article name	For tube outer-ø [mm "]
L20000304	LOKTOOL MB 8 EVP	6-8 1/4-5/16
L20000305	LOKTOOL MB 10 EVP	9 - 11 3/8
L20000306	LOKTOOL MB 12 EVP	12 - 13 1/2
L20000307	LOKTOOL MB 16 EVP	14 - 17 5/8

LOKPRESS MINI LI-ION BATTERY



- → Rechargeable Li-Ion battery 10.8 V
- → 4 LEDs indicate:
 - · Battery charge level
 - · Auto-test
 - · Maintenance needed
 - · Overheat safety stop

LOKPRESS MINI BATTERY CHARGER



- Info panel for battery charging status check

Article no.	Article name	Description
	LOKPRESS Mini BC-EU LOKPRESS Mini BC-US	Battery charger EU Battery charger US

PUBLISHER:

VULKAN

CONCEPT AND DESIGN:

Hackforth Holding GmbH & Co. KG VULKAN Marketing Heerstraße 66, 44653 Herne / Germany E-mail: marketing@vulkan.com

STATUS: 07/2024

All duplication, reprinting and translation rights are reserved. Any changes due to the technological progress are reserved. For questions or queries please contact VULKAN.